# TECHNICK PRODUCTS INC. MATERIAL SAFETY DATA SHEET

**Product Name: Viscocheck 104GT** 

C - 4.	1.	OL! 1	D J4		C	T.14'6'4'
Section	1:	Chemicai	Product	ana	Combany	Identification

Technick Products Inc.

238 St. Nicholas Ave.

Phone: 908-791-0400
Fax: 908-791-9991

South Plainfield, NJ 07080

Generic Description: Viscosity Reducer and Dispersing Agent

Physical Form: Liquid
Color: Light Yellow
Odor: Slight

NFPA: Health-2 Flammability-2 Reactivity-0

This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR1910.1200)

#### **Section 2: Composition**

Chemical Composition: Copolymer with acidic groups

## **Section 3: Chemical and Physical Properties**

Toxic and Hazardous Ingredients: None

Specific Gravity @ 25°C: ~1.03

Viscosity: Not Applicable Melting Point: Not Applicable

Initial Boiling Point: 145°C

Vapor Pressure @ 20°C: 4.00 hPa (Calculated)

Vapor Density: Not Applicable

Solubility in Water (g/liter @ 25 C): Not Applicable

pH: Not Applicable

Volatile content: Negligible

# **Section 4: Fire and Explosion Data**

Flash Point (and method used): 40C (Method: 48 (Pensky-Martens)

Auto ignition Temperature: 315C (Calculated) Flammability limits in air (% by volume): Not Applicable

Extinguishing Media: Water Fog, Foam, CO<sub>2</sub>. Dry Chemical

Section 4: Fire and Explosion Data (cont'd)	
Fire Fighting Procedures:	Self-contained breathing apparatus and protective clothing should be worn in fighting large fires involving chemicals. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep fire exposed containers cool.
Unusual Fire Hazards:	See hazardous decomposition section.

Section 5: Hazards Identification						
Emergency Overview:	Can cause damage to the following specific					
	organ(s) and system(s): upper respiratory tract,					
	skin eyes.					
	·					
Routes of Entry:	For hot material: Skin contact, eye contact					
,	inhalation					
Potential Acute Health Effects:						
Eyes:	Slightly hazardous in case of contact (irritant).					
Lycs.	Heated Polymer: eye contact can cause serious					
	thermal burns. Vapors formed when polymer is					
	· · · · · · · · · · · · · · · · · · ·					
ci .	heated may irritate the eye.					
Skin:	Nothing significant. Heated polymer: skin					
	contact can cause serious thermal burns.					
Inhalation:	Negligible at room temperature. Heated					
	polymer: irritating vapors can be formed when					
	polymer is processed at high temperatures.					
Ingestion:	No effects are expected for ingestion of small					
	amounts.					
Potential Long Term Health Effects:						
Skin:	No known applicable information					
Inhalation:	No known applicable information					
Oral:	No known applicable information					
· · · · · ·						
Signs and Symptoms of Overexposure						
Signs and Symptoms of Overexposure						
No known applicable information						
140 known applicable information						
Medical Information Aggravated by Exposure						
incurcal information Aggravated by Exposure						
No known applicable information						
No known applicable information						

**Section 6: First Aid Measures** 

Eye Contact: Immediately flush with water.

Skin Contact: Cold polymer – no first aid required. Heat polymer – for serious burns

get medical attention. In case of skin contact, immediately immerse in or

flush with clean, cold water.

Inhalation: Allow victim to rest in well-ventilated area.

Oral: No first aid should be needed.

Comments: Treatment should be symptomatic.

**Section 7: Accidental Release Measures** 

Small Spill and Leak: Liquid on the floor could present a serious slipping problem. Good

housekeeping must be maintained at all times to avoid this hazard.

Sweep, shovel, or vacuum material into clean containers.

Large Spill and Leak: Use a mop to put material into a convenient waste disposal container.

**Section 8: Handling and Storage** 

Handling: Handling of liquid may form nuisance. Protect personnel.

Storage: Keep container dry. Keep in cool place Ground all equipment. Keep

container tightly closed. Keep in a cool, well-ventilated place.

## **Section 9: Exposure Controls/Personal Protection**

**Engineering Controls** 

Heated materials at or near processing temperatures require local exhaust ventilation, or other engineering controls, to reduce exposure to vapors.

Personal Protection

Eyes: Safety glasses

*Body:* No special protective clothing is required. Washing at mealtime and end

of shift is adequate.

Respiratory: No respiratory protection should be needed.

Hands: Thermally insulated gloves required when handling hot material.

Section 10: Stability and Reactivity

Chemical Stability: Stable

Conditions to avoid: None Known

Materials to avoid: Acids and Oxidizing materials may cause a reaction

Hazardous Polymerization: None.

Hazardous Decomposition: Carbon Oxides, Oxides of Phosphorous, Sulphur Oxides

## **Section 11: Toxicological Information**

Acute Toxicological Data for Product

Toxicological information: LD<sub>50</sub>: mouse, oral 2200 mg/kg

LD rabbit (dermal) >1950 mg/kg

Inhalation: irritation to the lungs
Sensitization: Grade ii mild skin sensitizer

Skin or eye contact: may cause irritation

Carcinogenicity: Not listed by NTP,IARC & OSHA

<u>Component Toxicological Information</u> Complete information not yet available

**Special Hazard Information on Components** 

No known applicable information

## **Section 12: Ecological Information**

Environmental Fate and Distribution

No specific information is available

**Ecotoxicity** 

No specific information is available

Persistence and Degradation

No specific information is available

# **Section 13: Disposal Considerations**

Waste Information

Waste is classified as non-hazardous. Transfer to an approved disposal area in accordance with federal, state, and local regulations. If product is to be incinerated in an industrial or commercial facility, it is recommended to be done in the presence of combustible material.

Dispose of waste product in sanitary landfill.

**Section 14: Transportation Information** 

DOT Classification: Not a DOT controlled material

Marine Pollutant: Not available

Proper Shipping Name: Not Applicable

Hazard Technical Name: Not Applicable

Hazard Class: Not Applicable

## **Section 15: Regulatory Information**

#### **TSCA Status**

We certify that all of the components of this product are either listed on the TSCA Inventory or are not subject to the notification requirements per 40 CFR 720 30(h).

EPA SARA Title III Chemical Listings:

Section 302 Extremely Hazardous Substances

None

Section 304 CERCLA Hazardous Substances

None

Section 312 Hazard Class:

Acute: No Chronic: No Fire: No Pressure: No Reactive: No

# Section 313 Toxic Chemicals:

None present or none present in regulated quantities.

#### Supplemental State Compliance Information

California

Warning: This products contains the following chemical(s) lasted by the State of California under the Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) as being known to cause cancer.

None known.

# **Section 16: Other Information**

Prepared by: Technick Products Inc.

April 18, 2014

The information is offered in good faith and not as product specifications, and is believed to be correct as of the date issued. No warranties, expressed or implied, are hereby made by Technick Products. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.